



Solid shampoo using dextrin palmitate
Solid hair conditioner with a glucomannan-based texturing agent

Solid Shampoo

Phase	Ingredient	%
A1	Sodium Methyl Cocoyl Taurate	10
	Sodium Lauryoyl Methyl Isethionate	20
	Coco glucoside	10
	Decyl Glucoside (and) Sodium Lauroyl Lactylate	10
A2	Glycerin	7
	Corn starch	5
B	Cetyl alcohol	QS
	Hexyl laurate	5
	Prunus amygdalus dulcis oil	1
	Candelilla cera	5
	Dextrin palmitate	7
C	Tocopherol	0,5
	Parfum	1
	Mica, chromium hydroxide green, titanium dioxide	QS

- Heat A1, add A2 to A1
- Form B and stir 500rpm
- Add A to B and increase stirring up to 1200rpm - 10min
- Add C, stir for 1 min
- Pour into a mold



Solid Hair Conditioner

Phase	Ingredient	%
A	Arachidyl/Behenyl Betainate Esylate (and) Arachidyl/Behenyl Alcohol	QS
	Butyrospermum Parkii (Shea) Butter	20
	Cocos Nucifera (Coconut) Oil	15
	Argania Spinosa Kernel Oil	10
	C15-19 Alkane	5
B	Aqua	10
	Glycerin	3
	Polyglycerol-4-laurate	3
	Glucomannan (and) Polyglyceryl-4 Laurate (and) Caprylic/Capric Triglyceride (and) Xanthan Gum	3
C	Parfum	1
	Tocopherol	0,5

- Heat A and B at 80°C
- Add B to A under stirring, 1000rpm
- Add C and mix for 1 min
- Pour into a mold

